



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007064376

Filing Deadline: January 15, 2016

FRN: 0003739430

Filing Date: 12/15/2015 03:37 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Nu-Telecom
Brand Names: Tech Trends
PO Box:
Street Address: 27 N. Minnesota St.
City: New Ulm
State: MN
Zip Code: 56073

Contact Name: Monty Morrow
Contact Phone: (320) 234-5264
Contact Fax:
Contact Email: montymorrow@nu-telecom.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.telispire.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Telispire maintains a public website displaying its entire selection of handsets and devices including those that are HAC compliant. Sales staff is trained to assist customers in identifying HAC compliant devices. Handset packaging inserts or operations manual also provided information. For more information, customers are directed to <http://www.accesswireless.org/disability-categories/hearing.aspx> and other public websites dedicated to HAC education.

Methodology for Functionality Levels

Telispire offers HAC compliant handsets and devices in all major price categories including low, moderate and high end feature rich. At least one HAC compliant handset/device with features and services typical of its price category can be found that meets each customers price range.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 37

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	32	86%	4	11%	1	3%	37

Handset 1: Apple 5S iphone

Handset Maker

Apple

Handset Model Name

5S iphone

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 2: Apple Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

Apple iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 3: Apple iPhone 4 (A1349)**Handset Maker**

Apple

Handset Model Name**FCC ID**

iPhone 4 (A1349)

BCG-E2422B

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 4: Apple iPhone 5 (A1429)

Handset Maker

Apple

Handset Model Name

iPhone 5 (A1429)

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 5: Apple iPhone 6 (A1549)

Handset Maker

Apple

Handset Model Name

iPhone 6 (A1549)

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 6: Casio Hitachi C781

Handset Maker

Casio Hitachi

Handset Model Name

C781

FCC ID

JYC78

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 7: HTC Rhyme 6330

Handset Maker

HTC

Handset Model Name

Rhyme 6330

FCC ID

NM8PI46110

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks**Handset 8: Huawei M881****Handset Maker**

Huawei

Handset Model Name**FCC ID**

M881

QISM881

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 9: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name

E3100 Rio

FCC ID

OVF-K5402

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 10: Kyocera M2000

Handset Maker

Kyocera

Handset Model Name

M2000

FCC ID

OVF-K4802

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/10 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 11: Kyocera S2100 Luno**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

S2100 Luno

OVF-K5502

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 12: Kyocera S2300

Handset Maker

Kyocera

Handset Model Name

S2300

FCC ID

OVF-K5302

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/10 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 13: Kyocera S2410

Handset Maker

Kyocera

Handset Model Name

S2410

FCC ID

OVF-K33BI04

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/10 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 14: Kyocera S4000**Handset Maker**

Kyocera

Handset Model Name

S4000

FCC ID

OVFKWC-K33B04

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/10 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 15: Kyocera Tempo E2000

Handset Maker

Kyocera

Handset Model Name

Tempo E2000

FCC ID

OVFK60-E2-5G5

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/10 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 16: LG VN251

Handset Maker

LG

Handset Model Name

VN251

FCC ID

BEJVN251

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 17: LG VN271**Handset Maker**

LG

Handset Model Name**FCC ID**

VN271

ZNFVN271

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 18: LG VS750 Fathom

Handset Maker

LG

Handset Model Name

VS750 Fathom

FCC ID

BEJVS750

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 19: Motorola A555 Devour

Handset Maker

Motorola

Handset Model Name

A555 Devour

FCC ID

IHDP56KW1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 20: Motorola DROID RAZR HD**Handset Maker**

Motorola

Handset Model Name**FCC ID**

DROID RAZR HD

IHDP56ME1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 21: Motorola Droid Turbo XT1254

Handset Maker

Motorola

Handset Model Name	FCC ID
--------------------	--------

Droid Turbo XT1254	IHDT56PK1
--------------------	-----------

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 22: Motorola Droid X2

Handset Maker

Motorola

Handset Model Name	FCC ID
--------------------	--------

Droid X2	IHDT56MJ1
----------	-----------

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 23: Motorola VX445**Handset Maker**

Motorola

Handset Model Name**FCC ID**

VX445

IHDP56LF1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 24: Motorola W315

Handset Maker

Motorola

Handset Model Name

W315

FCC ID

IHDT56GE1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/09 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 25: Motorola W385

Handset Maker

Motorola

Handset Model Name

W385

FCC ID

IHDT56HC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/09 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 26: Research In Motion 8530**Handset Maker**

Research In Motion

Handset Model Name**FCC ID**

8530

L6ARCL20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 27: Samsung Chrono 2 R270

Handset Maker

Samsung

Handset Model Name

Chrono 2 R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 28: Samsung Chrono R261

Handset Maker

Samsung

Handset Model Name

Chrono R261

FCC ID

A3LSCHR261

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 29: Samsung Fascinate**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Fascinate

A3LSCHI500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 30: Samsung Galaxy S 3

Handset Maker

Samsung

Handset Model Name

Galaxy S 3

FCC ID

A3LGTI9300A

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 31: Samsung Gusto U365

Handset Maker

Samsung

Handset Model Name

Gusto U365

FCC ID

A3LSCHU365

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 32: Samsung Intensity 3**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Intensity 3

A3LSCHU485

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 33: Samsung SM-G900V

Handset Maker

Samsung

Handset Model Name

SM-G900V

FCC ID

A3LSMG900V

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 34: Samsung SM-G920A

Handset Maker

Samsung

Handset Model Name

SM-G920A

FCC ID

A3LSMG920F

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 35: Samsung U660**Handset Maker**

Samsung

Handset Model Name**FCC ID**

U660

A3LSCHU660

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 36: UT Starcom 7076

Handset Maker

UT Starcom

Handset Model Name

7076

FCC ID

O6Y-CDM7076

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Handset 37: UT Starcom 8630 COUPE

Handset Maker

UT Starcom

Handset Model Name

8630 COUPE

FCC ID

Pp4ez2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HAC Compliant

Remarks

Certification

This Report has been certified by:

Monty Morrow Regulatory Manager
12/15/2015 03:37 PM